

## Data Sheet

|             |                            |
|-------------|----------------------------|
| Nm          | NM 2/50                    |
| Ne          | NE 30/2                    |
| Composition | %100 AEGEAN COTTON GOTS LS |
| Gauge       | 14                         |
| Ply         | 1                          |
| Handfeel    | Soft                       |

## Certificates



## Service &amp; Availability

|                |         |
|----------------|---------|
| Stock Service  | STOCK 4 |
| Custom Colours | Si      |

## Sustainability

|                 |    |
|-----------------|----|
| Compliant ZDHC  | Si |
| Compliant REACH | Si |
| Compliant GB    | Si |

## Traceability

|                  |        |
|------------------|--------|
| Fiber Origin     | TURKEY |
| Spinning Country | TURKEY |
| Dyeing Country   | TURKEY |

## Suggested Labeling



## Dyeing lots cones (KG)

|            |                                        |
|------------|----------------------------------------|
| Sampling   | 1/2/3/5/9/20/24/40/44                  |
| Production | 90/120/130/165/220/250/330/380/660/702 |

## Finishing

Carry out a gentle steaming to shape the garment before washing. Wash lightly in warm water to stabilize sizing and minimize shrinkage. Use a soft spin cycle and tumble dry at no more than 60–70°C. When pressing, use abundant steam. It's essential to run dedicated tests on your own knitted fabrics before beginning full-scale production, as results will vary based on your machinery, tension settings, and stitch type.

## Stripes &amp; Intarsio

Ask for a purpose specific dyeing when ordering yarn. For contrasting coloured sweaters, wash in water adding up to 10% of acetic acid, without using neither siliconic nor basic softeners.

## Requirements

|                                                      |                                                                                                                                                                                   |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASHING FASTNESS AT 40° C (WATER) – ISO 105/C06      | Discharge on cotton: <b>4</b><br>Colour changing: <b>4</b>                                                                                                                        |
| DRY CLEANING FASTNESS – ISO 105/D01                  | Discharge on cotton: <b>4</b><br>Colour changing: <b>4</b>                                                                                                                        |
| FASTNESS TO ACID AND ALKALINE PERSPIRATION – ISO 105 | Discharge on cotton: <b>3/4</b>                                                                                                                                                   |
| RUBBING FASTNESS – ISO 105/X12                       | Dry: <b>4</b><br>Wet - Light colors: <b>4</b><br>Wet - Medium dark colors: <b>3</b><br>Colour changing - Light colors: <b>4</b><br>Colour changing - Medium dark colors: <b>4</b> |